GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services –Department of Tribal Welfare- Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu– Verification of R & R Packages-Polavaram Irrigation Project-+41.15M contour-Submergence of villages of V.R.Puram, Kunavaram and Devipatnam Mandals – Inspection reports of DIOs-Unfit for cultivation-R&R Colonies civil works-Vigilance Report– Initiation of Departmental proceedings under Rule 20 of A.P.C.S.(CCA) Rules 1991 – Article of Charges – Issued.

DEPARTMENT OF TRIBAL WELFARE (SER)

G.O.RT.No. 128 Dated: 21-08-2025
Read:

Vigilance Report.No.05(C.No.649/V&E/Engg/2019-1 dated. 08.02.2024 of General Administration(V&E) Dept.

&&&

O R D E R:

It is proposed to hold an enquiry against Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu in accordance with the procedure laid down in Rule 20 of A.P.C.S. (CCA) Rule, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which is the inquiry is proposed to be held is set out in the enclosed statement of articles of charges.

3. Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu is directed to submit within 10 days of the receipt of this order, a written statement of her defense.

4. Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu is informed that an inquiry will be held in respect of those

articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charges.

5. Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu is further informed that if he does not submit his written statement of defense on or before the date specified in para 3 above further action will be processed based on the material available.

6. Attention of Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu is invited to Rule 24 of the APCS (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interests in respect of matters pertaining to his service under the Government. If any representation is received on him behalf from another person in respect of any matter dealt with in these proceedings it will be presumed Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu is aware of such a representation and that it has been made at him instance and that action will be taken against his for violation of Rule 24 of A.P.C.S. (Conduct) Rules, 1964.

7. The receipt of this proceedings, may be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

MUDAVATU M NAYAK
SECRETARY TO GOVERNMENT

To
G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram through O/o of the Chief Engineer, Tribal Welfare, Vijayawada.
Copy to:
The Chief Engineer, Tribal Welfare, Vijayawada.
Sc/Sf

//FORWARDED BY :: ORDER//

SECTION OFFICER

ANNEXURE - I

Statement of article of charges framed against Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu:

Charge 1:

The work "Construction of R& R Colonies with civil amenities at Nereduvalasa(V) in Devipatnam(M) of East Godavari District with an Est.cost. OF Rs.501.09lakhs" and technically sanctioned vide TS.Memo.No.390/2017-18 dated.07.12.207 of Engineer-in-Chief, Tribal Welfare, Vijayawada. The work was proposed for construction of R & R colony with civil amenities of buildings, roads, drains etc., for 26+1 Project displaced families(PDFs) of Lingavaram village of Devipatnam(M).

Sri G David Raju the then Deputy Executive Engineer, Tribal Welfare Sub division, Addateegala and presently working as Executive Engineer, TW, Paderu has Check measured the work and recommended the bill for payment despite inferior quality of concrete work.

Hence the charge, the disciplinary action under APCS(CC&A) Rules, 1991 for violating Rules 3(1) and 3(2)&3(5) of AP civil services conduct rules, 1964 for lack of devotion to duty, lack of integrity and for behaving in a manner unbecoming of a government employee and for not taking all possible steps to ensure the integrity and devotion to duty of all government servants for the time being under his control and authority.

Charge 2:

The work "Construction of R& R Colonies with civil amenities at Kambalapalem(V) H/o Sarabavaram in Devipatnam (M) of East Godavari District, Est.Cost.959.16 lakhs" and technically sanctioned vide TS.Memo.No.388/2017-18 dated.06.12.207 of Engineer-in-Chief, Tribal Welfare, Vijayawada. The work was proposed to construction of R & R colony with civil amenities of buildings, roads, drains etc., for 78 Project displaced families(PDFs) of Gubbalampalem village in Devipatnam(M).

Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu has check measured the work and recommended the bill for payment despite inferior quality of concrete work.

Hence the charge, the disciplinary action under APCS(CC&A) Rules, 1991 for violating Rules 3(1), 3(2)& 3(5)of AP civil services conduct rules, 1964 for lack of devotion to duty, lack of integrity and for behaving in a manner unbecoming of a government employee and for not taking all possible steps to ensure the integrity and devotion to duty of all government servants for the time being under his control and authority.

Charge 3 :

The work "Construction of R& R Colonies with civil amenities at Musallakunta(V) in Devipatnam (M) of East Godavari District, Est.Cost of 3157.90 lakhs ". It was technically sanctioned vide TS.Memo.No.387/2017-18 dated.06.12.2017 of Engineer-in-Chief, Tribal Welfare, Vijayawada. The work was proposed for construction of R & R colony with civil amenities of buildings, roads, drains etc., for 314 Project displaced families(PDFs) of 5 Villages Viz., (i) Mullapadu, (ii) Gangulagondi (iii) Toyyeru (iv) Gangampalem and (v) Dandangi.

Sri G David Raju. the then Deputy Executive Engineer, Tribal Welfare Sub Division Addateegala, & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu has check measured the work & recommended the bill for payment despite inferior quality of concrete work in temple building slab, main road No.3 and its L/s drain wall.

Hence the charge, the disciplinary action under APCS(CC&A) Rules, 1991 for violating Rules 3(1), 3(2) and 3(5) of AP civil services conduct rules, 1964 for lack of devotion to duty, lack of integrity and for behaving in a manner unbecoming of a government employee and for not taking all possible steps to ensure the integrity and devotion to duty of all government servants for the time being under his control and authority.

Charge 4:

The work "Construction of R& R Colonies with civil amenities at Pothavaram-2(V) in Devipatnam (M) of East Godavari District, Est.Cost.Rs.734.69 lakhs". It was technically sanctioned vide TS.Memo.No.389/2017-18 dated.07.12.2017 of Engineer-in-Chief, Tribal Welfare, Vijayawada. The work was proposed to construction of R & R colony with civil amenities of buildings, roads, drains etc., for 56 Project displaced families(PDFs) of 3 Villages Viz., (i) Seetharam, (ii) Devipatnam (iii) Pudipalli.

Sri G David Raju. the then Deputy Executive Engineer, Tribal Welfare Sub Division Addateegala, & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer,

Tribal Welfare, Paderu has check measured the work & recommended the bill for payment despite inferior quality of concrete work.

Hence the charge, the disciplinary action under APCS(CC&A) Rules, 1991 for violating Rules 3(1), 3(2) and 3(5) of AP civil services conduct rules, 1964 for lack of devotion to duty, lack of integrity and for behaving in a manner unbecoming of a government employee and for not taking all possible steps to ensure the integrity and devotion to duty of all government servants for the time being under his control and authority.

MUDAVATU M NAYAK
SECRETARY TO GOVERNMENT

//FORWARDED BY :: ORDER//

SECTION OFFICER

ANNEXURE- II

Statement of imputations of misconduct or misbehavior in support of the article of charges framed against Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu:

Basis of the charge 1:

As per the Vigilance Report No.5(C.No.649/V&E)Engg/2019-1) dated 08.02.2024 of the Vigilance and Enforcement Department, certain irregularities committed in execution of " Construction of R& R Colonies with civil amenities at Nereduvalasa(V) in Devipatnam(M) of East Godavari District with an Est.cost.Rs.501.09lakhs".

As verified from the test results, which was conducted by the quality testing agency engaged by the Vigilance & Enforcement Department, the average equivalent cube comprehensive strength of the CC core extracted from L/s drain was found to have not attained the strength requirements of the specified grade of M15 concrete and also not satisfying the strength requirements of next lower grade of M10 concrete. Hence the entire L/s CC drain were found to be liable for rejection. The value of rejection amount is Rs.3,62,435/-. The rejected component of the work should be reconstructed at the cost and risk of the agency or an amount of Rs.3,62,435/- is proposed to be recovered from the agency towards the cost of rejected item of work.

Also an amount of Rs.1,45,392/- is proposed to be recovered from the agency towards difference in strength of concrete of CC Pavement.

Sri G David Raju the then Deputy Executive Engineer, Tribal Welfare Sub division, Addateegalaand presently working as Executive Engineer, TW, Paderu has Check measured the work and recommended the bill for payment despite inferior quality of concrete work.

Basis of the charge 2:

As per the Vigilance Report No.5(C.No.649/V&E)Engg/2019-1) dated 08.02.2024 of the Vigilance and Enforcement Department, certain irregularities committed in execution of " Construction of R& R Colonies with civil amenities at Nereduvalasa(V) in Devipatnam(M) of East Godavari District with an Est.cost.Rs.501.09lakhs".

As verified from the test results, which was conducted by the quality testing agency engaged by the Vigilance & Enforcement Department, the

average equivalent cube comprehensive strength of the CC core extracted from roof slab of temple building was found to have not attained the strength requirements of the specified grade of M25 concrete. Hence, the roof slab of temple building was found to be liable for rejection. Value of rejection is an amount of Rs.1,25,445/-.

And also as verified from the test results of the average equivalent compressive strength of CC cores extracted from main road was found to have not attained the strength requirements of the specified grade of M30 concrete and also not satisfying the strength requirements next lower grade of M25 concrete as per IS 456:2000. Hence the CC road was found to be liable for rejection value of rejection Rs.5,88,738/- . They should be reconstructed at the cost and risk of the agency or an amount of Rs.7,14,183/- is proposed to recovered from the agency towards the cost of the rejected item of work.

Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu has check measured the work and recommended the bill for payment despite inferior quality of concrete work.

Basis of Charge 3:

As per the Vigilance Report No.5(C.No.649/V&E)Engg/2019-1) dated 08.02.2024 of the Vigilance and Enforcement Department, certain irregularities committed in execution of "Construction of R& R Colonies with civil amenities at Musallakunta(V) in Devipatnam (M) of East Godavari District, Est.Cost.3157.90 lakhs ".

As verified from the test results, which was conducted by the quality testing agency engaged by the Vigilance & Enforcement Department, the average equivalent compressive strength of CC cores extracted from roof slab of temple building was found to have not attained the strength requirements of the specified grade of M25 concrete and also not satisfying the strength requirements of next lower grade of M20 concrete. Hence, the roof slab of temple building was found to be liable for rejection. The Value of rejection is an amount of Rs.1,26,683/-.

As verified the average equivalent compressive strength of CC cores extracted from main road was found to have not attained the strength requirements of the specified grade of M30 concrete. Hence, the CC main road was found to be liable for rejection. The Value of rejection Rs. 14,56,943/-. And also CC core extracted from L/s drain wall was found to have not attained the strength requirements of the specified grade M15 concrete. Hence L/s & R/s drain walls was found to be liable for rejection and he value rejected amount Rs.10,13,726/-.

Sri G David Raju. the then Deputy Executive Engineer, Tribal Welfare Sub Division Addateegala, & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu has check measured the work & recommended the bill for payment despite inferior quality of concrete work in temple building slab, main road No.3 and its L/s drain wall.

Basis of Charge 4:

As per the Vigilance Report No.5(C.No.649/V&E)Engg/2019-1) dated 08.02.2024 of the Vigilance and Enforcement Department, certain irregularities committed in execution of "Construction of R& R Colonies with civil amenities at Pothavaram-2(V) in Devipatnam (M) of East Godavari District, Est.Cost.Rs.734.69 lakhs".

As verified from the test results, which was conducted by the quality testing agency engaged by the Vigilance & Enforcement Department, the average equivalent cube compressive strength of CC cores extracted from roof slab of temple building was found to have not satisfying the strength requirements of the specified grade of concrete of M25. Hence, the roof slab of temple building was found to be liable for rejection. The value of rejection Rs.1,26,352/-.

As verified the average equivalent compressive strength ofCC cores extracted from main road was found to have not attained the strength requirements of the specified grade of M30 concrete and also not satisfying the strength requirements of next lower grade of M25 concrete. Hence, the CC main road was found to be liable for rejection and the value of amount Rs.6,57,181/-. And also CC cores extracted from R/s drain was found to have not attained the strength requirements of the specified grade of M15 concrete but satisfying the strength requirements of next lower grade of M10 concrete. Hence, recovery of Rs. 1,70,741/- was arrived at towards the difference in strength of concrete based on the attained grade of concrete.

Sri G David Raju. the then Deputy Executive Engineer, Tribal Welfare Sub Division Addateegala, & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu has check measured the work & recommended the bill for payment despite inferior quality of concrete work.

MUDAVATU M NAYAK
SECRETARY TO GOVERNMENT

//FORWARDED BY :: ORDER//

SECTION OFFICER

ANNEXURE- III

List of documents by which the Article of charges framed Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala& Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu:

1. Vigilance Report.No.05(C.No.649/V&E/Engg/2019-1 dated 08.02.2024 of General Administration(V&E) Dept.
2. Govt.Memo.No.2553026/SER.A2/2024 dated 21.05.2025

MUDAVATU M NAYAK
SECRETARY TO GOVERNMENT

//FORWARDED BY :: ORDER//

SECTION OFFICER

ANNEXURE-IV

List of witnesses by whom the Article of Charges framed against Sri G David Raju, the then Deputy Executive Engineer, Tribal Welfare Sub Division, Addateegala & Executive Engineer(FAC), Tribal Welfare Division, Rampachodavaram and presently working as Executive Engineer, Tribal Welfare, Paderu:

List of Witnesses:

The concerned Vigilance & Enforcement Department officials have enquired into the allegations in Verification of works executed by Tribal Welfare Engineering Department.

MUDAVATU M NAYAK
SECRETARY TO GOVERNMENT

//FORWARDED BY :: ORDER//

SECTION OFFICER